

	L #	Hits	Search Text	DBs
1	L1	812	(524/261) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L3	880	(524/265) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L4	802	(524/267) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L6	985	(524/379) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L7	445	(524/385) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L2	349	(524/264) .CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L5	498	(524/269).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	2151 7	(hydrolyz\$5 or hydrolysis or condensed or condensate) with (vinyl\$6oxysilane or allyl\$6oxysilane or \$6oxysilane or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	2958 6	dodecanol or tetradecanol or hexadecanol or decanol or octadecanol or (dodecane or tetradecane or hexadecane or decane) adj diol or dodecanediol or tetradecanediol or hexadecanediol or decanediol or (heptadecyl or tetradecyl) adj alcohol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	2562 7	hollow near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1755 6	vinyl\$6oxysilane or vinyl adj3 \$10silane or vinyl\$5oxy adj5 silane or \$4ylvinyl\$7oxysilane or vinyl adj3 \$10silane or vinyl\$5oxy adj5 silane or vinyl\$7oxysilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	5091 7	\$4yl\$7oxysilane or alkoxysilane or \$7oxysilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	435	(1 2 3 4 5 6 7) and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L16	406	(1 2 3 4 5 6 7) and 11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L17	246	(hydrolyz\$5 or hydrolysis or partial\$5 near5 (condensed or condensate)) and 16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L14	20	13 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L15	4	13 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
18	L18	10	17 and (9 10)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	1	(1 2 3 4 5 6 7) and void adj forming adj solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L20	19	17 and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	17	20 and solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22	29	16 and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L23	19	(hydrolyz\$5 or hydrolysis or partial\$5 near5 (condensed or condensate)) and 22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
1	L1	1344 0	hydrolyz\$5 with (vinyl\$6oxysilane or allyl\$6oxysilane or \$6oxysilane or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	2878 4	dodecanol or tetradecanol or hexadecanol or decanol or octadecanol or (dodecane or tetradecane or hexadecane or decane) adj diol or dodecanediol or tetradecanediol or hexadecanediol or decanediol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	2562 7	hollow near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	1152	(hydrolyzed or hydrolyzate or condensed or condensate) near10 mixture near10 (vinyl\$6oxysilane or allyl\$6oxysilane or \$6oxysilane or silane)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	376	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	90	1 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L8	0	("2004/0198882").URPN.	USPAT
8	L7	62	4 and (2 3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	1501 6	vinyl\$6oxysilane or vinyl adj3 \$10silane or vinyl\$5oxy adj5 silane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	157	5 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1755 6	\$4ylvinyl\$7oxysilane or vinyl adj3 \$10silane or vinyl\$5oxy adj5 silane or vinyl\$7oxysilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	L12	2291 0	\$4yl\$7oxysilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	3867 2	\$7oxysilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
14	L14	244	(9 11) same (12 13) same hydrolyzate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L16	0	3 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L15	5	2 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L17	4	(9 11) same (12 13) and hydrolyzate and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L18	79	(9 11) same (12 13) and hydrolyzate and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	39	18 and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
20	L20	2	("20040198882").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	273	(9 11) and (12 13) and hydrolyz\$5 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22	58	21 and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L25	188	(9 11) and (12 13) and hydrolyz\$5	EPO; JPO; DERWENT
24	L24	8	23 and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L23	61	(9 11) and (12 13) and hydrolyz\$5 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L26	0	hollow adj (polymer or resin) and alkoxysilane and vinylsilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
27	L27	27	2 and alkoxysilane and vinylsilane	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L28	15	27 and hydrolyz\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	L29	19	(9 11) same (12 13) same partial\$5 adj condens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
30	L30	2	("4822828").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	L31	0	2 and 30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	L32	0	30 and hollow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
33	L33	2	"20040077757"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	L34	1	(9 11) and 33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	L35	0	(9 11) and (12 13) and partial\$5 adj condens\$3 and hollow adj (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
36	L36	4	(9 11) and (12 13) and partial\$5 adj condens\$3 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
37	L37	19	(9 11) and (12 13) and partial\$5 adj condens\$3 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
38	L38	271	(9 11) same (12 13) and partial\$5 adj condens\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
39	L39	38	38 and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
40	L40	584	(9 11) same (12 13) same hydrolysis	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
41	L42	2	40 and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
42	L41	16	40 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
43	L43	18	hollow adj (polymer or resin) and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
44	L44	6743	silica near5 film	EPO; JPO; DERWENT
45	L45	11	(9 11) and (12 13) and 44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
46	L46	23	(9 11) same (12 13) same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
47	L47	2	void adj forming adj solvent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
48	L48	91	(9 11) and (12 13) and insulat\$5 and semiconductor and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
49	L49	75	48 and (hydrolysis or hydrolyz\$5 or partial\$5 adj condens\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
50	L50	22	(hydrolyzed or hydrolyzate or condensed or condensate) near10 mixture near10 (9 11) near10 (12 13)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
51	L51	584	insulat\$5 and semiconductor and 3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
52	L52	29	(9 11) and (12 13) and 51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
53	L53	3346	insulat\$5 and semiconductor and silica near5 film	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
54	L54	148	(9 11) and (12 13) and 53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
55	L55	48	54 and (2 3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
56	L56	2	("6645881").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
57	L57	1	56 and dry\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
58	L58	1305	3 and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
59	L59	6	1 and 58	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
60	L60	162	hollow adj (polymer or resin) and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
61	L61	15	hollow adj (polymer or resin) same coating and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
62	L62	2	("20040034147").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
63	L63	1	62 and semiconductor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
64	L64	1	62 and dielectric	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB